



Unmatched Quality Tiles

First Time  
Ever in Pakistan!

TRUSTED  
QUALITY

Certified for European  
Quality Standards  
for Grout

# STAIN-RESISTANT\* GROUT

Elevate your Living Spaces with Stain-Free Grout





## INTRODUCTION:

STILE® Stain-Resistant\* Grout is an advanced version of the commonly used grout, that is easy to clean and is designed to uplift & enhance the aesthetic feel of any living space for many years to come. It comes with enhanced water and stain resistance and has been specifically engineered to be durable, long-lasting, resistive against cracks or shrinkage. It is suitable for both wall and floor; interior and exterior spaces.

\*Stain-resistant against commonly used household products.

## ADVANTAGES:

- **Easier Maintenance:** STILE® Stain-Resistant Grout is easier to clean and maintain, as it repels dirt, grime, and spills.
- **Protection Against Stains and Water:** STILE® Stain-Resistant Grout helps prevent stains from penetrating the grout, which can be especially important in areas like kitchens or bathrooms where spills are common.
- **Longevity:** By resisting stains, this type of grout can retain its color and appearance longer, reducing the need for replacements.
- **Improved Appearance:** STILE® Stain-Resistant Grout maintains a cleaner look over time, enhancing the overall aesthetics of tiled surfaces.
- **Health Considerations\*\*:** Reducing stains and mold growth can contribute to a healthier environment, particularly in humid areas.

\*\*Subject to regular cleaning

## COLORS:

Available Colors:	دستیاب رنگ:
 Sage	 Marble Beige
 Green	 Sky Blue
 Sea Green	 Exotic Blue
 White	 Inca Gold
 Almond / Ivory	 Saltillo
 Blood Red	 Smoke Grey
 Canyon Red	 Slate Grey
 Sand Beige	 Dark Grey
 Brown	 Dark Brown
 Moove	 Black
 Sunrise	

## USES:

All Water Prone Areas, Domestic & Commercial Areas, such as; Living Rooms, Kitchens, Bathrooms, Lobbies, Corridors, Balconies, Garages and Porches.

## APPLICATION METHOD:

## لگانے کا طریقہ:


### Material



STILE® Stain-Resistant Grout, STILE® Grout Admix or clean water, sponge or towel, rubber gloves, plastic bucket, mixer, grout float & surface laying tool.

STILE® Stain-Resistant Grout, STILE® Grout Admix یا صاف پانی، اسپنج یا تولیہ، ربڑ کے دستانے، پلاسٹک کی ہالٹی، مکسر، گراؤٹ فلوت اور سطح بچھانے کا سامان۔

### Mixing



Add 3 pouches (3 kg) of STILE® Stain-Resistant Grout powder to 1 litre of STILE® Grout Admix or clean water. Mix by hand or with a slow speed grout mixer for smooth consistency, until non-sag mixture is prepared.

3 پاؤچ (3 kg) کے STILE® Stain-Resistant Grout کو 1 لیٹر STILE® Grout Admix یا صاف پانی میں مکس کریں۔ اس کو ہموار اور یکساں بنانے کے لیے ہاتھ یا گراؤٹ مکسر کا استعمال کریں۔


### Application



Dampen tile surface with water. Spread with a grout float and fill the grout into the joints until completely filled. Use diagonal strokes to pack the joints.

ٹائل کی سطح کو پانی سے نم کریں۔ ایک گراؤٹ فلوت کی مدد سے گراؤٹ کو تیزی سے سطح پر پھیلائیں۔ مکمل طور پر بھر جانے تک جوڑوں میں گراؤٹ ڈالتے رہیں۔ جوڑوں کو مضبوط کرنے کے لیے ڈائیگنل اسٹروک کا استعمال کریں۔

### Cleaning – Step 1



Remove excess grout from face of the tiles with the edge of grout float. Hold the grout float at a 90° angle and pull it at a 45° angle diagonally across the joints & tile to avoid pulling out the material. Let the grout firm up for approximately 45 – 60 minutes.

گراؤٹ فلوت کے کنارے کے ساتھ ٹائلوں پر سے اضافی گراؤٹ کو ہٹا دیں۔ گراؤٹ فلوت کو 90° کے زاویے پر پکڑیں اور اسے 45° کے زاویے پر تریچھے انداز میں تمام جوڑوں اور ٹائلوں پر کھینچیں تاکہ مواد باہر نہ نکل سکے۔ گراؤٹ کو 45 سے 60 منٹ تک خشک ہونے دیں۔

### Cleaning – Step 2



Remove remaining grout & clean with a damp sponge or a damp towel. Allow the grout to dry for 24 hours.

ٹائلز لگانے کے بعد باقی گراؤٹ کو ہٹادیں اور گیلے اسپنج یا تولیے سے صاف کریں۔ گراؤٹ کو 24 گھنٹے کے لئے خشک ہونے دیں۔

### Caution:

Eye irritant and corrosive to skin. Wear rubber gloves, goggles and dust mask before use. Store in a dry place at room temperature.

### احتیاط:

آنکھوں میں جلن اور جلد کو نقصان پہنچا سکتا ہے۔ استعمال سے پہلے ربڑ کے دستانے، چشمہ اور ماسک پہنیں۔ کمرے کے درجہ حرارت اور خشک جگہ پر رکھیں۔



Scan for Tile Laying Instructions Video

ٹائل کی تنصیب کے لئے، کیو آر کوڈ کو اسکین کریں۔



Scan for information on STILE® Stain-Resistant Grout

تفصیلات کے لئے، کیو آر کوڈ کو اسکین کریں۔





Unmatched Quality Tiles

# Available Across Pakistan



Website



Stile ToolBook



Catalogs



Stile Tile  
Visualiser



Stile Tile  
Calculator



Instagram



Stile Tile  
Installation  
Instructions



STILE EMPORIUM  
Locations

## STILE EMPORIUM

• Design Studio • Wall & Floor Tiles • Building Materials

• Karachi • Hyderabad • Sukkur • Rahim Yar Khan • Bahawalpur • D.G. Khan • Multan  
• Faisalabad • Lahore • Gujranwala • Rawalpindi • Islamabad • Wah Cantt • Peshawar • Gilgit

© +92-311-11STILE [78453]  
@/stiletilesceramic

www.stile.com.pk  
/ShabbirStile

info@stile.com.pk  
tiledesigner.stile.com.pk

Copyright © 2025 Shabbir Tiles and Ceramics Limited